

**www.ToiletSales.com**

## **Explanation of the Different Characteristics of the Drop Tank Toilets**

### **Table of Contents**

**Model FPT 300** Patented Folding Portable Toilet **Page 2**

**Model GJ 350** Green John® Portable Toilet **Page 3**

**Model SJ 450** Sani Jon® Portable Toilet **Page 4**

**Model SJDV 450** Sani Jon® Portable Toilet **Page 5**  
**Dump Valve Model**

**What is Included with Every Sani Jon®  
and Green John®** **Page 6**

# Explanation of the Different Characteristics of the **Porta John®** Brand Drop Tank Toilets

The unique characteristics of Model FPT 300 patented folding portable toilet are:  
Dimensions 41" (1.04m) x 41" (1.04m) x 84" (2.90M) Holding Tank Capacity 65 Gallon (246 liters)

Ships Completely Assembled in the Folded Position.

Flip Top Holding Tank Allows for Complete Cleaning and Inspection For Trash



10 Complete Model FPT 300 Units



Model FPT 300



Flip Top Holding Tank

Assembles and disassembles in less than 3 minutes



Holding tank fits through the Model FPT 300 door.



# Explanation of the Different Characteristics of the **Green John®** Model GJ 350 Drop Tank Toilet

The unique characteristics of the Model GJ 350 portable toilet are:

**Dimensions 41" (1.04m) x 41" (1.04m) x 84" (2.90m) Holding Tank Capacity  
65 Gallon (246 liters)**

## **100 Percent Aluminum Covered Corners and Edges**

Door Jamb is Aluminum

All Corners Are Covered by 2" Aluminum Angles

Floor is Plastic Covered

Threshold & Kick-Plate are Galvanized Steel

4 Stainless Steel Door Hinges

Unit Anchored to Floor with 11 Steel Bolts

Floor Anchored to 4" by 4" Treated Runners by 4 6" Steel Bolts

The Green John® is shipped 80% assembled and 50 can be shipped in a 20' container.



Aluminum Covered Edges

**Economical, Attractive  
Designed for Low Maintenance  
Light-Enhancing Roof  
41" x 41" x 80"  
186 lbs.**



Holding Tank has a Flip Top Lid  
for Safety and Easy Cleaning

GJ 350 can be Fitted With a Dump  
Valve for a Shower or Waste  
Disposal




The Green John® is shipped 80% assembled and 50 can be shipped in a 20' container.

# Explanation of the Different Characteristics of the Sani Jon® Model SJHD 450 Drop Tank Toilet

The unique characteristics of the Model SJHG 450 portable toilet are:  
 Dimensions 44" (112cm) x 44" (112cm) x 89" (239cm) Holding Tank  
 Capacity 68 Gallon (257 liters)



Exterior Aluminum Corner



Interior Aluminum Corner



Model SJHD450

The Sani Jon® has double covered corners and is manufactured to be both versatile and sturdy to allow for years of use. It is fitted with dump valves, showers, comfort stations and hand wash sinks. The Sani Jon® is shipped 80% assembled and 40 can be shipped in a 20' container.



SJS 450



SJCS 600



SJHW 450



e Pictu

Holding Tank with Dump Valve Attachment

# Sani Jon® Dump Valve Model SJHDDV 450



SJHDDV 450 – Under-Section Dump Assembly



Rear View Of Dump Valve With Cap



Dual Dump Valve Toilet Trailer with Internal Sinks



Dual Toilet Dump Valve Assembly



Rear View of Dump Valve Model SJ 450



Each Dump Valve Equipped Sani Jon® is shipped with the dump assembly attached to the toilet floor platform. Any additional parts are shipped in the holding tank.



# What is Included with Every Sani Jon®

[www.ToiletSales.com](http://www.ToiletSales.com) Portable Toilet Consumables




[www.handsanitizers.com](http://www.handsanitizers.com)  
[www.ToiletSales.com](http://www.ToiletSales.com)

Hand Sanitizer Dispenser  
Included in the Consumables Package



[www.handsanitizers.com](http://www.handsanitizers.com)

Hand Sanitizer Refill  
Included in the Consumables Package



Jumbo Toilet Tissue Holder  
Paper Included with  
Installation

Equivalent to Five  
Standard Rolls of  
Toilet Paper

Starter Supply of  
Portable Toilet  
Deodorizer



# PortableToiletChemicals.com

## ToiletChemicals.com



When ordering with a portable toilet purchase, we ship 1 drum in 11 - 5 gallon pails at the drum price. This reduces the freight cost by reducing the cu. ft. The chemical ratio is 1 to 100 gallons of water.

To request a quote e-mail:

[info@ToiletSales.com](mailto:info@ToiletSales.com)

Two 5 gallon drums can ship in any of our portable toilet holding tanks. The chemical mixing ratio is 1 to 100 gallons of water.

To request a quote please E-mail:

[info@ToiletSales.com](mailto:info@ToiletSales.com)



The handy one gallon size container of our EMJ 2075 mixing ratio is 1 to 100 and will work in RV and/or portable toilets. Please feel free to E-mail: [info@ToiletSales.com](mailto:info@ToiletSales.com)

# EMJ2075

Wild Cherry

## Portable Restroom Deodorizer CONCENTRATE

### MIXING AND USE DIRECTIONS

EMJ2075 masks the odor in portable toilet holding tanks. Use in 5 gallons (20 liters) of water, leaving behind a fresh scent. Our chemical will keep a constant deep blue color. The resulting solution can also be used to clean and deodorize the entire unit.

Use the method that works best for you:

<b>Heat/Traffic</b>	<b>RTU Mix</b>	<b>Conc Use</b>
Moderate & Low-Medium	3 - 6 oz (90-180 ml)	1 - 3 oz (30-90 ml)
Moderate & Heavy	4 - 8 oz (120-240 ml)	1 - 4 oz (30-120 ml)
Extreme & Low-Medium	4 - 8 oz (120-240 ml)	1 - 4 oz (30-120 ml)
Extreme & Heavy	8 - 12 oz (240-360 ml)	3 - 8 oz (90-240 ml)

### DISPOSAL AND STORAGE

- Triple rinse container.
- Dispose of in sanitary landfill or by method approved by state and local authorities.

**DO NOT CONTAMINATE WATER, FEED OR FOOD**

**ALWAYS KEEP CONTAINER CLOSED WHEN STORED** **MADE IN THE USA**

### KEEP OUT OF REACH OF CHILDREN

- **CAUTION; DO NOT INGEST. PROTECT EYES AND SKIN FROM CONTACT WITH THIS CHEMICAL. USE EXTREME CARE WHEN HANDLING THIS PRODUCT - THIS PRODUCT WILL STAIN. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR AS THIS MAY CAUSE ALLERGIC REACTION.**

#### FIRST AID:

**For Ingestion:** Drink 1 – 2 glasses of water. Induce vomiting by sticking finger down throat or by giving soapy or salty water to drink. Repeat until vomit is clear and call a physician. Never give anything by mouth to an unconscious person.

**Eye Contact:** Immediately flush with water. Consult a physician immediately.

**For Inhalation:** Remove person to fresh air. If breathing is difficult, give oxygen. Call a physician.

**Skin Contact:** Immediately flush with water. Remove and wash contaminated clothing and footwear. If irritation occurs, consult a physician.